```
0006977871
```

WPI ACC NO: 1994-248856/199430

Biogenic polypeptide-polyester ionic conjugates - used for controlled, sustained release of polypeptide drug, e.g. from injectable microparticles

Patent Assignee: KINERTON LTD (KINE-N); POLY-MED INC (POLY-N); SCRAS SOC

CONSEILS RECH & APPL SCI (SCRC); IPSEN MFG IRELAND LTD (IPSE-N) Inventor: JACKSON S; JACKSON S A; JAKSON S A; MOREAU J; MOREAU J P; MORROW

J-P; SHALABY S; SHALABY S W; SYLLABI S W

Patent Family (33 patents, 34 countries)

Patent

Application

Number Kind Date Number Kind Date Update

WO 1994015587 A2 19940721 WO 1994US148 A 19940105 199430 B

AU 199459921 A 19940815 AU 199459921 A 19940105 199442 E

ZA 199400077 A 19941026 ZA 199477 A 19940106 199444 E

WO 1994015587 A3 19940901 WO 1994US148 A 19940105 199518 E

FI 199503314 A 19950705 WO 1994US148 A 19940105 199540 E FI 19953314 A 19950705

EP 678018 A1 19951025 EP 1994906037 A 19940105 199547 E WO 1994US148 A 19940105

CZ 199501734 - A3 19960117 CZ 19951734 - A 19940105 199610 E

JP 8505395 W 19960611 JP 1994516182 A 19940105 199648 E WO 1994US148 A 19940105

SK 199500744 A3 19970108 WO 1994US148 A 19940105 199711 E SK 1995744 A 19940105

AU 680650 B 19970807 AU 199459921 A 19940105 199740 E

CN 1115252 A 19960124 CN 1994108523 A 19940720 199740 NCE

NZ 261250 A 19970822 NZ 261250 A 19940105 199741 E

WO 1994US148 A 19940105

HU 73188 T 19960628 WO 1994US148 A 19940105 199744 E HU 19952029 A 19940105

US 5672659 A 19970930 WO 1994US148 A 19940105 199745 E US 1995464735 A 19950629

SG 47043 A1 19980320 SG 19964005 A 19940105 199818 E

US 5863985 A 19990126 US 1995464735 A 19950629 199911 NCE US 1997867308 A 19970602

RU 2146128 C1 20000310 WO 1994US148 A 19940105 200051 E RU 1995118395 A 19940105

US 6221958 B1 20010424 WO 1994US148 A 19940105 200125 E

US 1995464735 A 19950629

US 1997867308 A 19970602 US 1999237405 A 19990126

MX 196932 B 20000613 MX 1994323 A 19940106 200133 E

HU 220137	B 20011128 WO 1994US148 A 19940105 200206 E
	HU 19952029 A 19940105
EP 1203591	A1 20020508 EP 1994906037 A 19940105 200238 E
	EP 20021064 A 19940105
RU 2185393	C2 20020720 RU 1995Ï18395 A 19940105 200261 E
	RU 1999122608 A 19940105
EP 678018	B1 20030409 EP 1994906037 A 19940105 200325 E
	WO 1994US148 A 19940105
	EP 20021064 A 19940105
DE 69432459	E 20030515 DE 69432459 A 19940105 200340 E
	EP 1994906037 A 19940105
	WO 1994US148 A 19940105
KR 369764	B 20030522 KR 199417485 A 19940720 200365 NCE
ES 2196023	T3 20031216 EP 1994906037 A 19940105 200413 E
KR 405879	B 20031114 KR 199417485 A 19940720 200421 NCE
	KR 200257303 A 20020919
CZ 293378	B6 20040414 WO 1994US148 A 19940105 200435 E
30 400 300 200 400	CZ 19951734 A 19940105
CZ 293425	B6 20040414 WO 1994US148 A 19940105 200435 E
020 20 0	CZ 20002050 A 19940105
FI 114898	B1 20050131 WO 1994US148 A 19940105 200510 E
21111000	FI 19953314 A 19950705
CN 1163260	C 20040825 CN 1994108523 A 19940720 200612 NCE
EP 1203591	B1 20071219 EP 1994906037 A 19940721 200802 E
101 12000071	EP 20021064 A 19940105
DE 69435055	E 20080131 DE 69435055 A 19940105 200810 E
DE CAMPONS	EP 20021064 A 19940105
	FU 70071004 - W 15540105

Priority Applications (no., kind, date): IE 19935 A 19930106; KR 199417485 A 19940720; CN 1994108523 A 19940720; US 1997867308 A 19970602; KR 200257303 A 20020919

## Alerting Abstract WO A2

A novel compsn. (I) comprises a polyester (II) contg, one or more free COOH gps. (pref. with COOH:OH ratio above 1) with a biogenic polypeptide (III) contg, at least one effective ionogenic amine. At least 50 wt.% of (III) in the compsn. is ionically conjugated with (II).

USE/ADVANTAGE - (I) is a sustained release form of (III), specifically capable of releasing a therapeutically effective dose of (III) in vivo for at least 7 days. (I) is formulated e.g. as injectable microspheres or microparticles or implantable films or rods. Admin. may be s.c., i.m., parenteral, by suppository or nasal. Biodegradable or absorbable polyesters (II) can be tailored to provide controlled chain hydrolysability and release characteristics by appropriate choice of monomer and mol. wts., and show max, binding capacity for oligopeptides, polypeptides or proteins (III) having net positive charge at physiological pH. Loading of (III) can

be maximised by choice of (II). (I) are easily shaped (e.g. into microparticles) without use of multiphase emulsions or non-aq. 2-phase systems.